



### Technical details

- degree of protection IP20 (punched) and IP40; using special accessories the degree of protection of the IP40 trunkings can be increased to IP44 and IP55 (the degree of protection refers to trunkings with mounted cover)
- colours:
  - galvanised
  - RAL 7032 grey
  - bright blue
- produced in hot dip galvanised sendzimir steel plate Fe E 280 GZ 200 (200 g/m<sup>2</sup>) NA – UNI EN 10147
- painted with thermosetting, epoxy-polyester powders; average thickness 70-80 micron, after production on hot dip sendzimir galvanised plate
- standard height 75 mm
- special method used to punch the trunkings totally eliminates burr, guaranteeing maximum safety for the cables and the operator
- all corners and branch connections have a wide curving angle (125 mm)
- accessories are assembled using a mechanical system that requires no welding
- a mechanical joint system guarantees electrical continuity
- in the version with cover all accessories are supplied in the following colours:
  - galvanised
  - RAL 7032 grey
  - bright blue
- accessories without cover are available in the galvanised version
- on request galvanised trunkings and accessories can be supplied varnished
- industrial application
- suspension systems: page 10/1



FLCM8807



IMQ mark  
in compliance with CEI 23-31+V1 Standard

# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM8110

### Galvanised metal trunking H 75 – IP40\*

Article	Base (mm)	Length (mm)	Colour	Weight (kg/m)	Unit/pack-metres
07 111	75	1000	Galvanised	1.54	8
07 112	100	1000	Galvanised	1.70	8
07 113	150	1000	Galvanised	2.50	8
07 114	200	1000	Galvanised	2.90	6
07 115	300	1000	Galvanised	4.42	6
07 121	75	2000	Galvanised	1.54	16
07 122	100	2000	Galvanised	1.70	16
07 123	150	2000	Galvanised	2.50	16
07 124	200	2000	Galvanised	2.90	12
07 125	300	2000	Galvanised	4.42	12
07 126	400	2000	Galvanised	5.37	12
07 127	500	2000	Galvanised	6.31	8
07 131	75	3000	Galvanised	1.54	24
07 132	100	3000	Galvanised	1.70	24
07 133	150	3000	Galvanised	2.50	24
07 134	200	3000	Galvanised	2.90	18
07 135	300	3000	Galvanised	4.42	18
07 136	400	3000	Galvanised	5.37	18
07 137	500	3000	Galvanised	6.31	12

\* Degree of protection IP40 refers to trunkings with mounted cover



FLCM8112


### Metal trunking painted in RAL 7032 grey H 75 – IP40\*

Article	Base (mm)	Length (mm)	Colour	Weight (kg/m)	Unit/pack-metres
07 141	75	1000	RAL 7032 grey	1.66	4
07 142	100	1000	RAL 7032 grey	1.84	4
07 143	150	1000	RAL 7032 grey	2.66	4
07 144	200	1000	RAL 7032 grey	3.09	2
07 145	300	1000	RAL 7032 grey	4.66	2
07 151	75	2000	RAL 7032 grey	1.66	8
07 152	100	2000	RAL 7032 grey	1.84	8
07 153	150	2000	RAL 7032 grey	2.66	8
07 154	200	2000	RAL 7032 grey	3.09	4
07 155	300	2000	RAL 7032 grey	4.66	4
07 161	75	3000	RAL 7032 grey	1.66	12
07 162	100	3000	RAL 7032 grey	1.84	12
07 163	150	3000	RAL 7032 grey	2.66	12
07 164	200	3000	RAL 7032 grey	3.09	6
07 165	300	3000	RAL 7032 grey	4.66	6

\* Degree of protection IP40 refers to trunkings with mounted cover

# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM9111

Article	Base (mm)	Length (mm)	Colour	Weight (kg/m)	Unit/pack-metres
---------	-----------	-------------	--------	---------------	------------------

### Metal trunking painted in bright blue H 75 – IP40\*

08 401	75	1000	Bright blue	1.66	4
08 402	100	1000	Bright blue	1.84	4
08 403	150	1000	Bright blue	2.66	4
08 404	200	1000	Bright blue	3.09	2
08 405	300	1000	Bright blue	4.66	2
08 411	75	2000	Bright blue	1.66	8
08 412	100	2000	Bright blue	1.84	8
08 413	150	2000	Bright blue	2.66	8
08 414	200	2000	Bright blue	3.09	4
08 415	300	2000	Bright blue	4.66	4
08 421	75	3000	Bright blue	1.66	12
08 422	100	3000	Bright blue	1.84	12
08 423	150	3000	Bright blue	2.66	12
08 424	200	3000	Bright blue	3.09	6
08 425	300	3000	Bright blue	4.66	6

\* Degree of protection IP40 refers to trunkings with mounted cover



FLCM9113

Article	Base (mm)	Length (mm)	Colour	Weight (kg/m)	Unit/pack-metres
---------	-----------	-------------	--------	---------------	------------------

### Metal galvanised punched trunking H 75 – IP40\*

07 171	75	2000	Galvanised	1.43	16
07 172	100	2000	Galvanised	1.58	16
07 173	150	2000	Galvanised	2.35	16
07 174	200	2000	Galvanised	2.60	12
07 175	300	2000	Galvanised	4.00	12
07 176	400	2000	Galvanised	4.84	12
07 177	500	2000	Galvanised	5.69	8
07 181	75	3000	Galvanised	1.43	24
07 182	100	3000	Galvanised	1.58	24
07 183	150	3000	Galvanised	2.35	24
07 184	200	3000	Galvanised	2.60	18
07 185	300	3000	Galvanised	4.00	18
07 186	400	3000	Galvanised	4.84	18
07 187	500	3000	Galvanised	5.69	12

\* Degree of protection IP40 refers to trunkings with mounted cover

# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM9114

Article	Base (mm)	Length (mm)	Colour	Weight (kg/m)	Unit/pack-metres
---------	-----------	-------------	--------	---------------	------------------

### Galvanised cover for IP40/IP20 trunkings

07 221	75	1000	Galvanised	0.57	16
07 222	100	1000	Galvanised	0.69	16
07 223	150	1000	Galvanised	0.92	16
07 224	200	1000	Galvanised	1.16	12
07 225	300	1000	Galvanised	2.16	12
07 231	75	2000	Galvanised	0.57	32
07 232	100	2000	Galvanised	0.69	32
07 233	150	2000	Galvanised	0.92	32
07 234	200	2000	Galvanised	1.16	24
07 235	300	2000	Galvanised	2.16	24
07 236	400	2000	Galvanised	2.79	20
07 237	500	2000	Galvanised	3.48	16
07 241	75	3000	Galvanised	0.57	48
07 242	100	3000	Galvanised	0.69	48
07 243	150	3000	Galvanised	0.92	48
07 244	200	3000	Galvanised	1.16	36
07 245	300	3000	Galvanised	2.16	36
07 246	400	3000	Galvanised	2.79	30
07 247	500	3000	Galvanised	3.48	24



FLCM9116

Article	Base (mm)	Length (mm)	Colour	Weight (kg/m)	Unit/pack-metres
---------	-----------	-------------	--------	---------------	------------------

### Cover painted in RAL 7032 grey for IP40 trunkings

07 261	75	1000	RAL 7032 grey	0.63	12
07 262	100	1000	RAL 7032 grey	0.76	12
07 263	150	1000	RAL 7032 grey	1.02	12
07 264	200	1000	RAL 7032 grey	1.28	6
07 265	300	1000	RAL 7032 grey	2.34	6
07 271	75	2000	RAL 7032 grey	0.63	24
07 272	100	2000	RAL 7032 grey	0.76	24
07 273	150	2000	RAL 7032 grey	1.02	24
07 274	200	2000	RAL 7032 grey	1.28	12
07 275	300	2000	RAL 7032 grey	2.34	12
07 281	75	3000	RAL 7032 grey	0.63	36
07 282	100	3000	RAL 7032 grey	0.76	36
07 283	150	3000	RAL 7032 grey	1.02	36
07 284	200	3000	RAL 7032 grey	1.28	18
07 285	300	3000	RAL 7032 grey	2.34	18

# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM8115

Article	Base (mm)	Length (mm)	Colour	Weight (kg/m)	Unit/pack-metres
---------	-----------	-------------	--------	---------------	------------------

### Cover painted in bright blue for IP40 trunkings

08 431	75	1000	Bright blue	0.63	12
08 432	100	1000	Bright blue	0.76	12
08 433	150	1000	Bright blue	1.02	12
08 434	200	1000	Bright blue	1.28	6
08 435	300	1000	Bright blue	2.34	6
08 441	75	2000	Bright blue	0.63	24
08 442	100	2000	Bright blue	0.76	24
08 443	150	2000	Bright blue	1.02	24
08 444	200	2000	Bright blue	1.28	12
08 445	300	2000	Bright blue	2.34	12
08 451	75	3000	Bright blue	0.63	36
08 452	100	3000	Bright blue	0.76	36
08 453	150	3000	Bright blue	1.02	36
08 454	200	3000	Bright blue	1.28	18
08 455	300	3000	Bright blue	2.34	18

Article	Unit/pack-metres
---------	------------------

### Plastic hinge for cover

07 854	20
--------	----



FLCM9191

# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM8083-84



FLCM8083-84



FLCM8083-84

Article	For trunking base (mm)	Colour	Unit/pack-pieces
---------	------------------------	--------	------------------

### 45° flat corner complete with cover

Complete with cover earth wiring accessories.

07 311	75	Galvanised	8
07 312	100	Galvanised	8
07 313	150	Galvanised	4
07 314	200	Galvanised	4
07 315	300	Galvanised	4
07 316	400	Galvanised	2
07 317	500	Galvanised	2
07 321	75	RAL 7032 grey	8
07 322	100	RAL 7032 grey	8
07 323	150	RAL 7032 grey	4
07 324	200	RAL 7032 grey	4
07 325	300	RAL 7032 grey	4
08 501	75	Bright blue	8
08 502	100	Bright blue	8
08 503	150	Bright blue	4
08 504	200	Bright blue	4
08 505	300	Bright blue	4

### 45° flat corner without cover


17 311	75	Galvanised	8
17 312	100	Galvanised	8
17 313	150	Galvanised	4
17 314	200	Galvanised	4
17 315	300	Galvanised	4
17 316	400	Galvanised	2
17 317	500	Galvanised	2

### Cover for 45° flat corner

06 381	75	Galvanised	8
06 382	100	Galvanised	8
06 383	150	Galvanised	8
06 384	200	Galvanised	4
06 385	300	Galvanised	4
06 386	400	Galvanised	2
06 387	500	Galvanised	2

# Industrial metal trunkings

## Sendzimir trunkings H 75



Article	For trunking base (mm)	Colour	Unit/pack-pieces
---------	------------------------	--------	------------------

### 90° flat corner complete with cover

Complete with cover earth wiring accessories.

07 291	75	Galvanised	8
07 292	100	Galvanised	8
07 293	150	Galvanised	8
07 294	200	Galvanised	4
07 295	300	Galvanised	4
07 296	400	Galvanised	2
07 297	500	Galvanised	2
07 301	75	RAL 7032 grey	8
07 302	100	RAL 7032 grey	8
07 303	150	RAL 7032 grey	8
07 304	200	RAL 7032 grey	4
07 305	300	RAL 7032 grey	4
08 511	75	Bright blue	8
08 512	100	Bright blue	8
08 513	150	Bright blue	8
08 514	200	Bright blue	4
08 515	300	Bright blue	4

### 90° flat corner without cover

17 291	75	Galvanised	8
17 292	100	Galvanised	8
17 293	150	Galvanised	8
17 294	200	Galvanised	4
17 295	300	Galvanised	4
17 296	400	Galvanised	2
17 297	500	Galvanised	2

### Cover for 90° flat corner

06 361	75	Galvanised	8
06 362	100	Galvanised	8
06 363	150	Galvanised	4
06 364	200	Galvanised	4
06 365	300	Galvanised	4
06 366	400	Galvanised	2
06 367	500	Galvanised	2



# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM0005-06



FLCM0005-06



FLCM0005-06

Article	For trunking base (mm)	Colour	Unit/pack-pieces
---------	------------------------	--------	------------------

### Flat tee corner complete with cover

Complete with cover earth wiring accessories.

07 351	75	Galvanised	4
07 352	100	Galvanised	4
07 353	150	Galvanised	4
07 354	200	Galvanised	4
07 355	300	Galvanised	2
07 356	400	Galvanised	2
07 357	500	Galvanised	2
07 361	75	RAL 7032 grey	4
07 362	100	RAL 7032 grey	4
07 363	150	RAL 7032 grey	4
07 364	200	RAL 7032 grey	4
07 365	300	RAL 7032 grey	2
08 521	75	Bright blue	4
08 522	100	Bright blue	4
08 523	150	Bright blue	4
08 524	200	Bright blue	4
08 525	300	Bright blue	2

### Flat tee corner without cover

17 351	75	Galvanised	4
17 352	100	Galvanised	4
17 353	150	Galvanised	4
17 354	200	Galvanised	4
17 355	300	Galvanised	2
17 356	400	Galvanised	2
17 357	500	Galvanised	2

### Cover for flat tee corner

06 401	75	Galvanised	4
06 402	100	Galvanised	4
06 403	150	Galvanised	4
06 404	200	Galvanised	4
06 405	300	Galvanised	2
06 406	400	Galvanised	2
06 407	500	Galvanised	2



# Industrial metal trunkings

## Sendzimir trunkings H 75



Article	For trunking base (mm)	Colour	Unit/pack-pieces
---------	------------------------	--------	------------------

### Flat tee corner with reducer and cover

Complete with cover earth wiring accessories.

07 710	100/75	Galvanised	4
07 711	150/75	Galvanised	4
07 712	150/100	Galvanised	4
07 713	200/75	Galvanised	4
07 714	200/100	Galvanised	4
07 715	200/150	Galvanised	4
07 716	300/75	Galvanised	2
07 717	300/100	Galvanised	2
07 718	300/150	Galvanised	2
07 719	300/200	Galvanised	2
07 720	100/75	RAL 7032 grey	4
07 721	150/75	RAL 7032 grey	4
07 722	150/100	RAL 7032 grey	4
07 723	200/75	RAL 7032 grey	4
07 724	200/100	RAL 7032 grey	4
07 725	200/150	RAL 7032 grey	4
07 726	300/75	RAL 7032 grey	2
07 727	300/100	RAL 7032 grey	2
07 728	300/150	RAL 7032 grey	2
07 729	300/200	RAL 7032 grey	2
08 660	100/75	Bright blue	4
08 661	150/75	Bright blue	4
08 662	150/100	Bright blue	4
08 663	200/75	Bright blue	4
08 664	200/100	Bright blue	4
08 665	200/150	Bright blue	4
08 666	300/75	Bright blue	2
08 667	300/100	Bright blue	2
08 668	300/150	Bright blue	2
08 669	300/200	Bright blue	2

# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM9095-96



FLCM9095-96

Article	For trunking base (mm)	Colour	Unit/pack-pieces
---------	------------------------	--------	------------------

### Flat tee corner with reducer without cover

17 710	100/75	Galvanised	4
17 711	150/75	Galvanised	4
17 712	150/100	Galvanised	4
17 713	200/75	Galvanised	4
17 714	200/100	Galvanised	4
17 715	200/150	Galvanised	4
17 716	300/75	Galvanised	2
17 717	300/100	Galvanised	2
17 718	300/150	Galvanised	2
17 719	300/200	Galvanised	2

### Cover for flat tee corner with reducer

27 710	100/75	Galvanised	
27 711	150/75	Galvanised	
27 712	150/100	Galvanised	
27 713	200/75	Galvanised	
27 714	200/100	Galvanised	
27 715	200/150	Galvanised	
27 716	300/75	Galvanised	
27 717	300/100	Galvanised	
27 718	300/150	Galvanised	
27 719	300/200	Galvanised	

# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM9087-88



FLCM9087-88



FLCM9087-88

Article	For trunking base (mm)	Colour	Unit/pack-pieces
---------	------------------------	--------	------------------

### Flat cross complete with cover

Complete with cover earth wiring accessories.

07 371	75	Galvanised	4
07 372	100	Galvanised	4
07 373	150	Galvanised	4
07 374	200	Galvanised	2
07 375	300	Galvanised	2
07 376	400	Galvanised	2
07 377	500	Galvanised	2
07 381	75	RAL 7032 grey	4
07 382	100	RAL 7032 grey	4
07 383	150	RAL 7032 grey	4
07 384	200	RAL 7032 grey	2
07 385	300	RAL 7032 grey	2
08 531	75	Bright blue	4
08 532	100	Bright blue	4
08 533	150	Bright blue	4
08 534	200	Bright blue	2
08 535	300	Bright blue	2

### Flat cross without cover

17 371	75	Galvanised	4
17 372	100	Galvanised	4
17 373	150	Galvanised	4
17 374	200	Galvanised	2
17 375	300	Galvanised	2
17 376	400	Galvanised	2
17 377	500	Galvanised	2

### Cover for flat cross

06 421	75	Galvanised	4
06 422	100	Galvanised	4
06 423	150	Galvanised	4
06 424	200	Galvanised	2
06 425	300	Galvanised	2
06 426	400	Galvanised	2
06 427	500	Galvanised	2

# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM9089-90



FLCM9089



FLCM9090

Article	For trunking base (mm)	Colour	Unit/pack-pieces
---------	------------------------	--------	------------------

### 90°vertical inside riser complete with cover

Complete with cover earth wiring accessories.

07 391	75	Galvanised	8
07 392	100	Galvanised	6
07 393	150	Galvanised	4
07 394	200	Galvanised	4
07 395	300	Galvanised	2
07 396	400	Galvanised	2
07 397	500	Galvanised	2
07 401	75	RAL 7032 grey	8
07 402	100	RAL 7032 grey	6
07 403	150	RAL 7032 grey	4
07 404	200	RAL 7032 grey	4
07 405	300	RAL 7032 grey	2
08 541	75	Bright blue	8
08 542	100	Bright blue	6
08 543	150	Bright blue	4
08 544	200	Bright blue	4
08 545	300	Bright blue	2

### 90°vertical inside riser without cover

17 391	75	Galvanised	8
17 392	100	Galvanised	6
17 393	150	Galvanised	4
17 394	200	Galvanised	4
17 395	300	Galvanised	2
17 396	400	Galvanised	2
17 397	500	Galvanised	2

### Cover for 90°vertical inside riser

06 471	75	Galvanised	8
06 472	100	Galvanised	6
06 473	150	Galvanised	4
06 474	200	Galvanised	4
06 475	300	Galvanised	2
06 476	400	Galvanised	2
06 477	500	Galvanised	2

# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM9091-92



FLCM9091



FLCM9092

Article	For trunking base (mm)	Colour	Unit/pack-pieces
---------	------------------------	--------	------------------

### 45° vertical inside riser complete with cover

Complete with cover earth wiring accessories.

07 411	75	Galvanised	8
07 412	100	Galvanised	6
07 413	150	Galvanised	4
07 414	200	Galvanised	4
07 415	300	Galvanised	2
07 416	400	Galvanised	2
07 417	500	Galvanised	2
07 421	75	RAL 7032 grey	8
07 422	100	RAL 7032 grey	6
07 423	150	RAL 7032 grey	4
07 424	200	RAL 7032 grey	4
07 425	300	RAL 7032 grey	2
08 551	75	Bright blue	8
08 552	100	Bright blue	6
08 553	150	Bright blue	4
08 554	200	Bright blue	4
08 555	300	Bright blue	2

### 45° vertical inside riser without cover

17 411	75	Galvanised	8
17 412	100	Galvanised	6
17 413	150	Galvanised	4
17 414	200	Galvanised	4
17 415	300	Galvanised	2
17 416	400	Galvanised	2
17 417	500	Galvanised	2

### Cover for 45° vertical inside riser

06 491	75	Galvanised	8
06 492	100	Galvanised	6
06 493	150	Galvanised	4
06 494	200	Galvanised	4
06 495	300	Galvanised	2
06 496	400	Galvanised	2
06 497	500	Galvanised	2

# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM0093-94



FLCM0093



FLCM0094

Article	For trunking base (mm)	Colour	Unit/pack-pieces
---------	------------------------	--------	------------------

### 90° vertical outside riser complete with cover

Complete with cover earth wiring accessories.

07 451	75	Galvanised	8
07 452	100	Galvanised	6
07 453	150	Galvanised	4
07 454	200	Galvanised	4
07 455	300	Galvanised	2
07 456	400	Galvanised	2
07 457	500	Galvanised	2
07 461	75	RAL 7032 grey	8
07 462	100	RAL 7032 grey	6
07 463	150	RAL 7032 grey	4
07 464	200	RAL 7032 grey	4
07 465	300	RAL 7032 grey	2
08 561	75	Bright blue	8
08 562	100	Bright blue	6
08 563	150	Bright blue	4
08 564	200	Bright blue	4
08 565	300	Bright blue	2

### 90° vertical outside riser without cover

17 451	75	Galvanised	8
17 452	100	Galvanised	6
17 453	150	Galvanised	4
17 454	200	Galvanised	4
17 455	300	Galvanised	2
17 456	400	Galvanised	2
17 457	500	Galvanised	2

### Cover for 90° vertical outside riser

06 511	75	Galvanised	8
06 512	100	Galvanised	6
06 513	150	Galvanised	4
06 514	200	Galvanised	4
06 515	300	Galvanised	2
06 516	400	Galvanised	2
06 517	500	Galvanised	2

# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM8095-96

Article	For trunking base (mm)	Colour	Unit/pack-pieces
---------	------------------------	--------	------------------

### 45° vertical outside riser complete with cover

Complete with cover earth wiring accessories.

07 471	75	Galvanised	8
07 472	100	Galvanised	6
07 473	150	Galvanised	4
07 474	200	Galvanised	4
07 475	300	Galvanised	2
07 476	400	Galvanised	2
07 477	500	Galvanised	2
07 481	75	RAL 7032 grey	8
07 482	100	RAL 7032 grey	6
07 483	150	RAL 7032 grey	4
07 484	200	RAL 7032 grey	4
07 485	300	RAL 7032 grey	2
08 571	75	Bright blue	8
08 572	100	Bright blue	6
08 573	150	Bright blue	4
08 574	200	Bright blue	4
08 575	300	Bright blue	2



FLCM8095

### 45° vertical outside riser without cover

17 471	75	Galvanised	8
17 472	100	Galvanised	6
17 473	150	Galvanised	4
17 474	200	Galvanised	4
17 475	300	Galvanised	2
17 476	400	Galvanised	2
17 477	500	Galvanised	2



FLCM8096

### Cover for 45° vertical outside riser

06 531	75	Galvanised	8
06 532	100	Galvanised	6
06 533	150	Galvanised	4
06 534	200	Galvanised	4
06 535	300	Galvanised	2
06 536	400	Galvanised	2
06 537	500	Galvanised	2



# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM9031



FLCM9039

Article	For trunking base (mm)	Colour	Unit/pack-pieces
---------	------------------------	--------	------------------

### End cap

07 571	75	Galvanised	4
07 572	100	Galvanised	4
07 573	150	Galvanised	4
07 574	200	Galvanised	4
07 575	300	Galvanised	4
07 576	400	Galvanised	4
07 577	500	Galvanised	4
07 581	75	RAL 7032 grey	4
07 582	100	RAL 7032 grey	4
07 583	150	RAL 7032 grey	4
07 584	200	RAL 7032 grey	4
07 585	300	RAL 7032 grey	4
08 701	75	Bright blue	4
08 702	100	Bright blue	4
08 703	150	Bright blue	4
08 704	200	Bright blue	4
08 705	300	Bright blue	4

### Left 90° vertical outside riser complete with cover

Complete with cover earth wiring accessories.

07 591	75	Galvanised	4
07 592	100	Galvanised	3
07 593	150	Galvanised	2
07 594	200	Galvanised	2
07 595	300	Galvanised	2
07 596	400	Galvanised	1
07 597	500	Galvanised	1
07 601	75	RAL 7032 grey	4
07 602	100	RAL 7032 grey	3
07 603	150	RAL 7032 grey	2
07 604	200	RAL 7032 grey	2
07 605	300	RAL 7032 grey	2
08 611	75	Bright blue	4
08 612	100	Bright blue	3
08 613	150	Bright blue	2
08 614	200	Bright blue	2
08 615	300	Bright blue	2

# Sendzimir trunkings

## Sendzimir trunkings H 75



FLCM9025

Article	For trunking base (mm)	Colour	Unit/pack-pieces
---------	------------------------	--------	------------------

### Right 90° vertical outside riser complete with cover

Complete with cover earth wiring accessories.

07 611	75	Galvanised	4
07 612	100	Galvanised	3
07 613	150	Galvanised	2
07 614	200	Galvanised	2
07 615	300	Galvanised	2
07 616	400	Galvanised	1
07 617	500	Galvanised	1
07 621	75	RAL 7032 grey	4
07 622	100	RAL 7032 grey	3
07 623	150	RAL 7032 grey	2
07 624	200	RAL 7032 grey	2
07 625	300	RAL 7032 grey	2
08 621	75	Bright blue	4
08 622	100	Bright blue	3
08 623	150	Bright blue	2
08 624	200	Bright blue	2
08 625	300	Bright blue	2



FLCM9037

### Vertical tee branch connection without level gradient complete with cover

Complete with cover earth wiring accessories.

07 651	75	Galvanised	4
07 652	100	Galvanised	3
07 653	150	Galvanised	2
07 654	200	Galvanised	2
07 655	300	Galvanised	2
07 656	400	Galvanised	1
07 657	500	Galvanised	1
07 661	75	RAL 7032 grey	4
07 662	100	RAL 7032 grey	3
07 663	150	RAL 7032 grey	2
07 664	200	RAL 7032 grey	2
07 665	300	RAL 7032 grey	2
08 631	75	Bright blue	4
08 632	100	Bright blue	3
08 633	150	Bright blue	2
08 634	200	Bright blue	2
08 635	300	Bright blue	2

# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM9038



FLCM9038-1

Article	For trunking base (mm)	Colour	Unit/pack-pieces
---------	------------------------	--------	------------------

### Vertical tee branch connection with level gradient complete with cover

Complete with cover earth wiring accessories.

07 691	75	Galvanised	4
07 692	100	Galvanised	3
07 693	150	Galvanised	2
07 694	200	Galvanised	2
07 695	300	Galvanised	2
07 696	400	Galvanised	1
07 697	500	Galvanised	1
07 701	75	RAL 7032 grey	4
07 702	100	RAL 7032 grey	3
07 703	150	RAL 7032 grey	2
07 704	200	RAL 7032 grey	2
07 705	300	RAL 7032 grey	2
08 641	75	Bright blue	4
08 642	100	Bright blue	3
08 643	150	Bright blue	2
08 644	200	Bright blue	2
08 645	300	Bright blue	2


### Vertical tee branch connection with reducer and level gradient complete with cover

Complete with cover earth wiring accessories.


07 630	100/75	Galvanised	3
07 631	150/75	Galvanised	2
07 632	150/100	Galvanised	2
07 633	200/75	Galvanised	2
07 634	200/100	Galvanised	2
07 635	200/150	Galvanised	2
07 636	300/75	Galvanised	2
07 637	300/100	Galvanised	2
07 638	300/150	Galvanised	2
07 639	300/200	Galvanised	2
07 640	100/75	RAL 7032 grey	3
07 641	150/75	RAL 7032 grey	2
07 642	150/100	RAL 7032 grey	2
07 643	200/75	RAL 7032 grey	2
07 644	200/100	RAL 7032 grey	2
07 645	200/150	RAL 7032 grey	2
07 646	300/75	RAL 7032 grey	2
07 647	300/100	RAL 7032 grey	2
07 648	300/150	RAL 7032 grey	2
07 649	300/200	RAL 7032 grey	2
08 650	100/75	Bright blue	3
08 651	150/75	Bright blue	2
08 652	150/100	Bright blue	2
08 653	200/75	Bright blue	2
08 654	200/100	Bright blue	2
08 655	200/150	Bright blue	2
08 656	300/75	Bright blue	2
08 657	300/100	Bright blue	2
08 658	300/150	Bright blue	2
08 659	300/200	Bright blue	2

# Industrial metal trunkings


## Sendzimir trunkings H 75



FLCM9022-1



FLCM9022



FLCM9022-2

Article	For trunking base (mm)	Colour	Unit/pack-pieces
---------	------------------------	--------	------------------

### Concentric reducer complete with cover

Complete with cover earth wiring accessories.

07 512	100/75	Galvanised	6
07 513	150/75	Galvanised	6
07 514	150/100	Galvanised	6
07 516	200/75	Galvanised	3
07 517	200/100	Galvanised	3
07 518	200/150	Galvanised	3
07 519	300/200	Galvanised	3
07 520	400/300	Galvanised	2
07 521	500/400	Galvanised	2
07 522	100/75	RAL 7032 grey	6
07 523	150/75	RAL 7032 grey	6
07 524	150/100	RAL 7032 grey	6
07 526	200/75	RAL 7032 grey	3
07 527	200/100	RAL 7032 grey	3
07 528	200/150	RAL 7032 grey	3
07 529	300/200	RAL 7032 grey	3
08 581	100/75	Bright blue	6
08 582	150/75	Bright blue	6
08 583	150/100	Bright blue	6
08 584	200/75	Bright blue	3
08 585	200/100	Bright blue	3
08 586	200/150	Bright blue	3
08 587	300/200	Bright blue	3

### Concentric reducer without cover

17 512	100/75	Galvanised	6
17 513	150/75	Galvanised	6
17 514	150/100	Galvanised	6
17 516	200/75	Galvanised	3
17 517	200/100	Galvanised	3
17 518	200/150	Galvanised	3
17 519	300/200	Galvanised	3
17 520	400/300	Galvanised	2
17 521	500/400	Galvanised	2

### Cover for concentric reducer


27 512	100/75	Galvanised	
27 513	150/75	Galvanised	
27 514	150/100	Galvanised	
27 516	200/75	Galvanised	
27 517	200/100	Galvanised	
27 518	200/150	Galvanised	
27 519	300/200	Galvanised	
27 520	400/300	Galvanised	
27 521	500/400	Galvanised	

# Industrial metal trunkings


## Sendzimir trunkings H 75



FLCM9023-1



FLCM9023



FLCM9023-2

Article	For trunking base (mm)	Colour	Unit/pack-pieces
---------	------------------------	--------	------------------

### Left reducer complete with cover

Complete with cover earth wiring accessories.

07 532	100/75	Galvanised	6
07 533	150/75	Galvanised	6
07 534	150/100	Galvanised	6
07 536	200/75	Galvanised	3
07 537	200/100	Galvanised	3
07 538	200/150	Galvanised	3
07 539	300/200	Galvanised	3
07 540	400/300	Galvanised	2
07 541	500/400	Galvanised	2
07 542	100/75	RAL 7032 grey	6
07 543	150/75	RAL 7032 grey	6
07 544	150/100	RAL 7032 grey	6
07 546	200/75	RAL 7032 grey	3
07 547	200/100	RAL 7032 grey	3
07 548	200/150	RAL 7032 grey	3
07 549	300/200	RAL 7032 grey	3
08 591	100/75	Bright blue	6
08 592	150/75	Bright blue	6
08 593	150/100	Bright blue	6
08 594	200/75	Bright blue	3
08 595	200/100	Bright blue	3
08 596	200/150	Bright blue	3
08 597	300/200	Bright blue	3

### Left reducer without cover


17 532	100/75	Galvanised	6
17 533	150/75	Galvanised	6
17 534	150/100	Galvanised	6
17 536	200/75	Galvanised	3
17 537	200/100	Galvanised	3
17 538	200/150	Galvanised	3
17 539	300/200	Galvanised	3
17 540	400/300	Galvanised	2
17 541	500/400	Galvanised	2

### Cover for left reducer

27 532	100/75	Galvanised	
27 533	150/75	Galvanised	
27 534	150/100	Galvanised	
27 536	200/75	Galvanised	
27 537	200/100	Galvanised	
27 538	200/150	Galvanised	
27 539	300/200	Galvanised	
27 540	400/300	Galvanised	
27 541	500/400	Galvanised	

# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM8014-1



FLCM8014-2



FLCM8014-2

Article	For trunking base (mm)	Colour	Unit/pack-pieces
---------	------------------------	--------	------------------

### Right reducer complete with cover

07 552	100/75	Galvanised	6
07 553	150/75	Galvanised	6
07 554	150/100	Galvanised	6
07 556	200/75	Galvanised	3
07 557	200/100	Galvanised	3
07 558	200/150	Galvanised	3
07 559	300/200	Galvanised	3
07 560	400/300	Galvanised	2
07 561	500/400	Galvanised	2
07 562	100/75	RAL 7032 grey	6
07 563	150/75	RAL 7032 grey	6
07 564	150/100	RAL 7032 grey	6
07 566	200/75	RAL 7032 grey	3
07 567	200/100	RAL 7032 grey	3
07 568	200/150	RAL 7032 grey	3
07 569	300/200	RAL 7032 grey	3
08 601	100/75	Bright blue	6
08 602	150/75	Bright blue	6
08 603	150/100	Bright blue	6
08 604	200/75	Bright blue	3
08 605	200/100	Bright blue	3
08 606	200/150	Bright blue	3
08 607	300/200	Bright blue	3

### Right reducer without cover


17 552	100/75	Galvanised	6
17 553	150/75	Galvanised	6
17 554	150/100	Galvanised	6
17 556	200/75	Galvanised	3
17 557	200/100	Galvanised	3
17 558	200/150	Galvanised	3
17 559	300/200	Galvanised	3
17 560	400/300	Galvanised	2
17 561	500/400	Galvanised	2

### Cover for right reducer

27 552	100/75	Galvanised	6
27 553	150/75	Galvanised	6
27 554	150/100	Galvanised	6
27 556	200/75	Galvanised	3
27 557	200/100	Galvanised	3
27 558	200/150	Galvanised	3
27 559	300/200	Galvanised	3
27 560	400/300	Galvanised	2
27 561	500/400	Galvanised	2

# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM9192



FLCM9125

Article	For trunking base (mm)	Colour	Unit/pack-pieces
---------	------------------------	--------	------------------

### Straight inversion elements

Complete with cover earth wiring accessories.

07 731	75	Galvanised	24
07 732	100	Galvanised	24
07 733	150	Galvanised	12
07 734	200	Galvanised	12
07 735	300	Galvanised	6
07 736	400	Galvanised	4
07 737	500	Galvanised	4
07 741	75	RAL 7032 grey	24
07 742	100	RAL 7032 grey	24
07 743	150	RAL 7032 grey	12
07 744	200	RAL 7032 grey	12
07 745	300	RAL 7032 grey	6
08 711	75	Bright blue	24
08 712	100	Bright blue	24
08 713	150	Bright blue	12
08 714	200	Bright blue	12
08 715	300	Bright blue	6

### Coupler flange for fastening to switchboard

07 791	75	Galvanised	4
07 792	100	Galvanised	4
07 793	150	Galvanised	4
07 794	200	Galvanised	4
07 795	300	Galvanised	4
07 796	400	Galvanised	4
07 797	500	Galvanised	4
07 801	75	RAL 7032 grey	4
07 802	100	RAL 7032 grey	4
07 803	150	RAL 7032 grey	4
07 804	200	RAL 7032 grey	4
07 805	300	RAL 7032 grey	4
08 741	75	Bright blue	4
08 742	100	Bright blue	4
08 743	150	Bright blue	4
08 744	200	Bright blue	4
08 745	300	Bright blue	4



# Industrial metal trunkings

## Sendzimir trunkings H 75



Article	For trunking base (mm)	Colour	Unit/pack-pieces
---------	------------------------	--------	------------------

### Wall flange

07 811	75	Galvanised	4
07 812	100	Galvanised	4
07 813	150	Galvanised	4
07 814	200	Galvanised	4
07 815	300	Galvanised	4
07 816	400	Galvanised	4
07 817	500	Galvanised	4
07 821	75	RAL 7032 grey	4
07 822	100	RAL 7032 grey	4
07 823	150	RAL 7032 grey	4
07 824	200	RAL 7032 grey	4
07 825	300	RAL 7032 grey	4
08 751	75	Bright blue	4
08 752	100	Bright blue	4
08 753	150	Bright blue	4
08 754	200	Bright blue	4
08 755	300	Bright blue	4



### Mechanical integral joint

Guarantees electric continuity. Complete with screws and nuts.  
Width 80 mm.

07 831	75	Galvanised	48
07 832	100	Galvanised	48
07 833	150	Galvanised	36
07 834	200	Galvanised	24
07 835	300	Galvanised	24
07 836	400	Galvanised	8
07 837	500	Galvanised	8

# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM9119

Article	For trunking base (mm)	Colour	Unit/pack-pieces
---------	------------------------	--------	------------------

### Retainer for integral joints

Snap onto integral joint.  
Width 48 mm.

07 838	75	Galvanised	48
07 839	100	Galvanised	48
07 840	150	Galvanised	36
07 842	200	Galvanised	24
07 844	300	Galvanised	24
07 846	400	Galvanised	8
07 847	500	Galvanised	8



FLCM9120-1-2

Article	Description	Colour	Unit/pack-pieces
---------	-------------	--------	------------------

### Mechanical joint

Guarantees electric continuity. Every joint is supplied with 2 plates complete with screws and nuts.

07 829	width 80 mm	Galvanised	50
--------	-------------	------------	----



FLCM9121

### Vertical joint fixed at 90°

Every joint is supplied with 2 plates complete with screws and nuts.

07 841		Galvanised	25
--------	--	------------	----



FLCM9122

### Vertical adjustable joint

Every joint is supplied with 2 plates complete with screws and nuts.

07 843		Galvanised	10
--------	--	------------	----

# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM8194



FLCM8194

Article	For reducers (mm)	Colour	Unit/pack-pieces
---------	-------------------	--------	------------------

### Coupler for left reducer

07 750	50	Galvanised	4
07 752	100	Galvanised	4
07 753	150	Galvanised	4
07 754	200	Galvanised	4
07 760	50	RAL 7032 grey	4
07 762	100	RAL 7032 grey	4
07 763	150	RAL 7032 grey	4
07 764	200	RAL 7032 grey	4
08 721	50	Bright blue	4
08 722	100	Bright blue	4
08 723	150	Bright blue	4
08 724	200	Bright blue	4

### Coupler for right reducer

07 770	50	Galvanised	4
07 772	100	Galvanised	4
07 773	150	Galvanised	4
07 774	200	Galvanised	4
07 780	50	RAL 7032 grey	4
07 782	100	RAL 7032 grey	4
07 783	150	RAL 7032 grey	4
07 784	200	RAL 7032 grey	4
08 731	50	Bright blue	4
08 732	100	Bright blue	4
08 733	150	Bright blue	4
08 734	200	Bright blue	4

# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM9123



FLCM9124



FLCM9134

Article	For trunking base (mm)	Colour	Unit/pack-pieces
---------	------------------------	--------	------------------

### Joint IP44

Must be used with every joint. Complete with all the elements required for mounting (see page 11/46).

07 866	75	Galvanised	12
07 867	100	Galvanised	12
07 868	150	Galvanised	12
07 869	200	Galvanised	8
07 870	300	Galvanised	8
07 998	400	Galvanised	4
07 999	500	Galvanised	4
07 861	75	RAL 7032 grey	12
07 862	100	RAL 7032 grey	12
07 863	150	RAL 7032 grey	12
07 864	200	RAL 7032 grey	8
07 865	300	RAL 7032 grey	8
08 761	75	Bright blue	12
08 762	100	Bright blue	12
08 763	150	Bright blue	12
08 764	200	Bright blue	8
08 765	300	Bright blue	8

### Joints IP55

Must be used with every joint. Complete with all the elements required for mounting (see page 11/46).

07 876	75	Galvanised	12
07 877	100	Galvanised	12
07 878	150	Galvanised	12
07 879	200	Galvanised	8
07 880	300	Galvanised	8
07 871	75	RAL 7032 grey	12
07 872	100	RAL 7032 grey	12
07 873	150	RAL 7032 grey	12
07 874	200	RAL 7032 grey	8
07 875	300	RAL 7032 grey	8
08 771	75	Bright blue	12
08 772	100	Bright blue	12
08 773	150	Bright blue	12
08 774	200	Bright blue	8
08 775	300	Bright blue	8

Article	Description	Unit/pack-pieces
---------	-------------	------------------

### Clip

07 890		20
--------	--	----

Fixed between the cover and the trunking to increase the pressure of the seal and to obtain IP44 (one clip every metre) and IP55 (one clip every 50 cm) degree of protection

# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM9125



FLCM9126

Article	For trunking base (mm)	Colour	Unit/pack-pieces
---------	------------------------	--------	------------------

### Coupler flange for fastening to IP44 switchboards

07 430	75	Galvanised	24
07 431	100	Galvanised	4
07 432	150	Galvanised	4
07 433	200	Galvanised	4
07 434	300	Galvanised	4
07 435	400	Galvanised	4
07 436	500	Galvanised	4
07 440	75	RAL 7032 grey	24
07 441	100	RAL 7032 grey	24
07 442	150	RAL 7032 grey	4
07 443	200	RAL 7032 grey	4
07 444	300	RAL 7032 grey	4
08 746	75	Bright blue	24
08 747	100	Bright blue	24
08 748	150	Bright blue	4
08 749	200	Bright blue	4
08 750	300	Bright blue	4

### End cap IP44/IP55

Complete with all elements required for mounting.

07 886	75	Galvanised	4
07 887	100	Galvanised	4
07 889	150	Galvanised	4
07 896	200	Galvanised	4
07 897	300	Galvanised	4
07 898	400	Galvanised	4
07 899	500	Galvanised	4
07 881	75	RAL 7032 grey	4
07 882	100	RAL 7032 grey	4
07 883	150	RAL 7032 grey	4
07 884	200	RAL 7032 grey	4
07 885	300	RAL 7032 grey	4
08 781	75	Bright blue	4
08 782	100	Bright blue	4
08 783	150	Bright blue	4
08 784	200	Bright blue	4
08 785	300	Bright blue	4

# Industrial metal trunkings

## Sendzimir trunkings H 75



Article	For trunking base (mm)	Length (mm)	Colour	Unit/pack-metres
---------	------------------------	-------------	--------	------------------

### Cover with seal for trunking IP44/IP55

Complete with seal in expanded polyurethane.  
Standard 2-metre length.

07 891	75	2000	RAL 7032 grey	24
07 892	100	2000	RAL 7032 grey	24
07 893	150	2000	RAL 7032 grey	24
07 894	200	2000	RAL 7032 grey	12
07 895	300	2000	RAL 7032 grey	12
08 491	75	2000	Bright blue	24
08 492	100	2000	Bright blue	24
08 493	150	2000	Bright blue	24
08 494	200	2000	Bright blue	12
08 495	300	2000	Bright blue	12

Article	Material	Unit/pack-metres
---------	----------	------------------

### Self-adhesive seal

07 888	Neoprene	20
--------	----------	----

To attach onto the trunking cover and accessories cover (dim. 2x7 mm).

Article	Material (mm)	Length (mm)	Unit/pack-metres
---------	---------------	-------------	------------------

### Divider

04 040	Plastic *	2000	52
07 855	Galvanised metal **	2000	20

\* Snaps on using art. 07 852

\*\* Fastens onto the base of the trunking using screws or adhesive

### Fastening element

For plastic dividers and cable ties.

07 852	Techno-polymer	20
--------	----------------	----

Fastens onto the base of trunking or cable trays with 2 screws

# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM9130

Article	Description	Unit/pack-pieces
---------	-------------	------------------


### Branch connection coupler

Complete with seal for IP44 degree of protection.

07 845

10

For installing consumer units or boxes to the base of trunkings



FLCM9131

Article	Dimensions WxHxP (mm)	Colour	Unit/pack-pieces
---------	-----------------------	--------	------------------

### Metal branch connection box IP55

07 857	200x200x120	RAL 7032 grey	1
07 858	300x300x120	RAL 7032 grey	1
07 859	400x400x120	RAL 7032 grey	1
07 860	600x600x120	RAL 7032 grey	1
08 791	200x200x120	Bright blue	1
08 792	300x300x120	Bright blue	1
08 793	400x400x120	Bright blue	1
08 794	600x600x120	Bright blue	1



FLCM9132

Article	Description	Colour	Unit/pack-pieces
---------	-------------	--------	------------------

### Inner panel

07 755	For boxes IP55	200x200x120 mm	Galvanised	4
07 756	For boxes IP55	300x300x120 mm	Galvanised	4
07 757	For boxes IP55	400x400x120 mm	Galvanised	4
07 758	For boxes IP55	600x600x120 mm	Galvanised	4



# Industrial metal trunkings

## Sendzimir trunkings H 75



FLCM9133



FLCM9108-9



FLCM9108-9



FLCM9136



FLCM9138

Article	Type	For boxes dimensions WxHxP (mm)	Unit/pack-pieces
---------	------	---------------------------------	------------------

### Galvanised DIN rails for branch connection boxes

07 765	Symmetrical	200x200x120	10
07 766	Symmetrical	300x300x120	10
07 767	Symmetrical	400x400x120	10
07 768	Symmetrical	600x600x120	10
07 775	Asymmetrical	200x200x120	10
07 776	Asymmetrical	300x300x120	10
07 777	Asymmetrical	400x400x120	10
07 778	Asymmetrical	600x600x120	10

Article	Description	Unit/pack-pieces
---------	-------------	------------------

### Screw and nut

07 848	Round-headed M6x10 screw with nut	100
--------	-----------------------------------	-----

### Earth staple

07 850	Staple complete with 2 M6x10 screws	50
--------	-------------------------------------	----

### Hinges

07 779	To hinge the cover of branch connection boxes	20
--------	---	----

Article	Colour	Unit/pack (kg)
---------	--------	----------------

### Paints

07 856	RAL 7032 grey	0,5
08 799	Bright blue	0,5
06 095	Bianco RAL 9016	0,25